



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

H 1

TANK TRUCK EQUIPMENT


	MODEL #	PREFERRED
EBW Dashport Nozzle   For Bulk Fuel Oil Delivery Dashport ensures easy opening and precise topping off Extra heavy lugs at wear points means longer useful nozzle life. Available in 1 1/4" or 1 1/2" Nozzles DO NOT Include Spout	1 1/4" 26-410-300-03 without spout	\$ 372.11
	1 1/2" 26-410-401-03 without spout	\$ 393.70
Brass Fuel Oil Nozzle Spouts  Fuel delivery nozzle tubes fit EBW 410 & 490 nozzles and are constructed of .065 brass wall tubes and include cast brass for secure attachment to nozzles.	1 1/4" NPT x 1 1/8" 26-410-122-01	\$ 115.57
	1 1/4" NPT x 1 3/8" 26-410-133-01	\$ 109.22
	1 1/2" NPT x 1 5/8" 26-410-129-01	\$ 125.73
	1 1/2" NPT x 1 3/8" 26-410-116-01	\$ 115.57
Model 465 Hose Swivel   Designed for ease of delivery, and features a free swivel action up to 125 psi with fluorcarbon O-ring seals that enable it to turn smoothly. Available in 1 1/4" or 1 1/2" with or without check valve.	1 1/4 x 1 1/4 26-465-101-01	\$ 198.12
	1 1/4 x 1 1/4 26-465-101-02 w/ check	\$ 228.60
	1 1/2 x 1 1/2 26-465-102-01	\$ 203.20
	1 1/2 x 1 1/2 26-465-102-02 w/ check	\$ 242.57
NOZZLE CONES  Available in 1 1/4" and 1 1/2"	1 1/4" 14-R54	\$ 46.11
	1 1/2" 14-R64	\$ 47.34

KAM STYLE DRY DISCONNECTS

	MODEL #	PREFERRED
Elbow Couplers with Swivel  Dry disconnect couplings are used on multi compartment petroleum, solvent and chemical product delivery trucks with an on board pumping unit. Helps reduce the hazard potential of spilled liquid during the connection/disconnection process. Available in 2" or 3" with Buna or Viton Seals.	2" OPW w/ Buna Seals 27-1711-ES-0200	\$ 860.45
	2" OPW w/ Viton Seals 27-1712-ES-0200	\$ 989.04
	2" Dixon w/ Buna Seals 14-DBS61-200	\$ 874.62
	2" Dixon w/ Viton Seals 14-DBS62-200	\$ 1,008.77
Straight Couplers  Used at liquid transfer points where product loss could occur, they provide a reliable solution to prevent spillage during connection or disconnection. They are well suited for handling petroleum products, solvents agchemicals, vegetable oils, detergents and many acids and caustics. Available in 2" or 3" with Buna or Viton Seals.	2" OPW w/ Buna Seals 27-1711-DL-AL20	\$ 706.09
	2" OPW w/ Viton Seals 27-1712-DL-AL20	\$ 783.99
	3" OPW w/ Buna Seals 27-1711-DL-AL30	\$ 1,382.95
	3" OPW w/ Viton Seals 27-1712-DL-AL30	\$ 1,543.64
	2" Dixon w/ Buna Seals 14-DBC61-200	\$ 721.37
	2" Dixon w/ Viton Seals 14-DBC62-200	\$ 808.12
	3" Dixon w/ Buna Seals 14-DBC61-300	\$ 1,502.52
	3" Dixon w/ Viton Seals 14-DBC62-300	\$ 1,677.08
Adaptors   Helps to prevent liquid spillage during the connection/disconnection process. The adaptor contains a spring loaded poppet to assure fast closing and tight seal. Available in 2" or 3" with Buna or Viton Seals.	2" OPW w/ Buna Seals 27-1611-AN-AL20	\$ 233.73
	2" OPW w/ Viton Seals 27-1612-AN-AL20	\$ 233.73
	3" OPW w/ Buna Seals 27-1611-AN-AL30	\$ 389.57
	3" OPW w/ Viton Seals 27-1612-AN-AL30	\$ 409.04
	2" Dixon w/ Buna Seals 14-DBA 11-200	\$ 214.80
	2" Dixon w/ Viton Seals 14-DBA 12-200	\$ 229.11
	3" Dixon w/ Buna Seals 14-DBA 11-300	\$ 411.79
	3" Dixon w/ Viton Seals 14-DBA 12-300	\$ 424.99

BAYONET STYLE DRY DISCONNECTS

Dry Disconnects with 90° Swivel Coupler



Bayonet style aluminum dry disconnect with 90° swivel coupler X Female NPT. Available in 2" or 3" with Buna or Viton seals.

MODEL

PREFERRED

2" w/ Buna Seal
14-BS61-200

\$ 787.33

2" w/ Viton Seal
14-BS62-200

\$ 847.40

3" w/ Buna Seal
14-BS61-300

\$ 1,345.51

3" w/ Viton Seal
14-BS62-300

\$ 1,452.83

Dry Disconnect Straight Coupler



Bauonet Style Aluminum Dry Disconnect Straight Coupler. Female X NPT, available in 2" or 3" with Buna or Viton seals.

2" w/ Buna Seal
14-BC61-200

\$ 625.52

2" w/ Viton Seal
14-BC62-200

\$ 681.84

2" w/ Buna Seal w/
Swivel
14-BSS61-200

\$ 787.33

2" w/ Viton Seal w/
Swivel
14-BSS62-200

\$ 849.15

3" w/ Buna Seal w/
Swivel
14-BSS61-300

\$ 1,270.99

3" w/ Viton Seal w/
Swivel
14-BSS62-300

\$ 1,380.12

Bayonet Style Adapters



Bayonet style adaptor by Female NPT. Designed for use in the fuel and lube oil service industry. Used with the EMCO Wheaton dry break commonly found in these services.

2" w/ Buna Seal
14-BA31-200

\$ 196.39

2" w/ Viton Seal
14-BA32-200

\$ 196.39

3" w/ Buna Seal
14-BA61-300

\$ 436.38

3" w/ Viton Seal
14-BA62-300

\$ 436.38

QUICK COUPLERS

Male Adapter x Fe-male NPT	Size	Aluminum	Price	Male Adapter x Hose Shank	Size	Aluminum	Price
	3/4"	06-G75-A-AL	\$ 7.46		3/4"	06-G75-E-AL	\$ 6.56
	1"	06-G100-A-AL	\$ 7.67		1"	06-G100-E-AL	\$ 7.60
	1 1/4"	06-G125-A-AL	\$ 11.62		1 1/4"	06-G125-E-AL	\$ 11.25
	1 1/2"	06-G150-A-AL	\$ 8.44		1 1/2"	06-G150-E-AL	\$ 9.70
	2"	06-G200-A-AL	\$ 9.01		2"	06-G200-E-AL	\$ 12.41
	2 1/2"	06-G250-A-AL	\$ 21.56		2 1/2"	06-G250-E-AL	\$ 23.77
	3"	06-G300-A-AL	\$ 18.24		3"	06-G300-E-AL	\$ 22.37
	4'	06-G400-A-AL	\$ 28.72		4'	06-G400-E-AL	\$ 36.89

Female Coupler x Male NPT	Size	Aluminum	Price	Male Adaptor x Male NPT	Size	Aluminum	Price
	3/4"	06-G75-B-AL	\$ 15.91		3/4"	06-G75-F-AL	\$ 8.09
	1"	06-G100-B-AL	\$ 17.62		1"	06-G100-F-AL	\$ 8.44
	1 1/4"	06-G125-B-AL	\$ 24.03		1 1/4"	06-G125-F-AL	\$ 13.91
	1 1/2"	06-G150-B-AL	\$ 20.18		1 1/2"	06-G150-F-AL	\$ 10.15
	2"	06-G200-B-AL	\$ 21.00		2"	06-G200-F-AL	\$ 11.36
	2 1/2"	06-G250-B-AL	\$ 38.20		2 1/2"	06-G250-F-AL	\$ 26.32
	3"	06-G300-B-AL	\$ 34.76		3"	06-G300-F-AL	\$ 24.92
	4'	06-G400-B-AL	\$ 48.93		4'	06-G400-F-AL	\$ 36.42

Female Coupler x Hose Shank	Size	Aluminum	Price	Dust Plug	Size	Aluminum	Price
	3/4"	06-G75-C-AL	\$ 15.84		3/4"	06-G75-DP-AL	\$ 7.30
	1"	06-G100-C-AL	\$ 16.21		1"	06-G100-DP-AL	\$ 7.04
	1 1/4"	06-G125-C-AL	\$ 22.87		1 1/4"	06-G125-DP-AL	\$ 8.38
	1 1/2"	06-G150-C-AL	\$ 19.44		1 1/2"	06-G150-DP-AL	\$ 8.17
	2"	06-G200-C-AL	\$ 22.45		2"	06-G200-DP-AL	\$ 9.70
	2 1/2"	06-G250-C-AL	\$ 37.99		2 1/2"	06-G250-DP-AL	\$ 14.39
	3"	06-G300-C-AL	\$ 34.65		3"	06-G300-DP-AL	\$ 16.31
	4'	06-G400-C-AL	\$ 53.88		4'	06-G400-DP-AL	\$ 25.80

Female Coupler x Female NPT	Size	Aluminum	Price	Dust Cap	Size	Aluminum	Price
	3/4"	06-G75-D-AL	\$ 17.87		3/4"	06-G75-DC-AL	\$ 15.68
	1"	06-G100-D-AL	\$ 17.20		1"	06-G100-DC-AL	\$ 15.37
	1 1/4"	06-G125-D-AL	\$ 25.01		1 1/4"	06-G125-DC-AL	\$ 20.69
	1 1/2"	06-G150-D-AL	\$ 19.02		1 1/2"	06-G150-DC-AL	\$ 18.81
	2"	06-G200-D-AL	\$ 22.24		2"	06-G200-DC-AL	\$ 18.24
	2 1/2"	06-G250-D-AL	\$ 39.74		2 1/2"	06-G250-DC-AL	\$ 30.49
	3"	06-G300-D-AL	\$ 36.94		3"	06-G300-DC-AL	\$ 33.92
	4'	06-G400-D-AL	\$ 49.93		4'	06-G400-DC-AL	\$ 42.93

Replacement Gaskets	Size	Regular	Extra Thick	Replacement Handles		
				Size	Part #	Price
	1"	\$ 1.28	\$ 1.65		06-G152HRP	\$ 7.42
	1 1/4"	\$ 1.31	\$ 2.15			
	1 1/2"	\$ 1.38	\$ 2.19			
	2"	\$ 1.37	\$ 2.22			
	2 1/2"	\$ 1.49	\$ 2.84			
	3"	\$ 1.59	\$ 2.50			
	4"	\$ 2.07	\$ 3.19			
				3" - 4"	06-G34HRP	\$ 11.06

SPOOL ADAPTERS, SPOOL COUPLERS, REDUCER FITTINGS

	MODEL #	PREFERRED
SPOOL COUPLER MALE COUPLER X MALE COUPLER	06-150-AA-AL 1 1/2" x 1 1/2"	\$ 40.99
	06-1520-AA-AL 1 1/2" x 2"	\$ 43.82
	06-200-AA-AL 2" x 2"	\$ 39.74
	06-2030-AA-AL 2" x 3"	\$ 62.11
	06-300-AA-AL 3" x 3"	\$ 62.84
	06-3040-AA-AL 3" x 4"	\$ 90.97
	06-400-AA-AL 4" x 4"	\$ 83.16
SPOOL COUPLER FEMALE COUPLER X FEMALE COUPLER	06-200-DD-AL 2" x 2"	\$ 70.89
	06-2030-DD-AL 2" x 3"	\$ 106.38
	06-300-DD-AL 3" x 3"	\$ 92.79
	06-3040-DD-AL 3" x 4"	\$ 135.47
	06-400-DD-AL 4" x 4"	\$ 123.38
REDUCER COUPLERS TO ADAPTERS	06-3020-DA-AL 3" Coupler x 2" Adapter	\$ 73.50
	06-4020-DA-AL 4" Coupler x 2" Adapter	\$ 109.62
	06-4030-DA-AL 4" Coupler x 3" Adapter	\$ 111.69

ALL PARTS A, B, C, D, E, & F ARE AVAILABLE IN REDUCER SIZES. CALL FOR PRICING



TRANSPORT EQUIPMENT



	MODEL #	PREFERRED
 <p>Dual Vapor Recovery Elbow</p> <p>3" Vapor Recovery Elbow Cast Aluminum Compact, low profile design Four bolt flange pattern</p>	26-880-465-01	\$ 1,003.30
 <p>Product Drop Elbow - Dual Point</p> <p>Cast Aluminum Four bolt flange pattern 4" Male Cam/Grove with Sight Glass</p>	26-880-455-01	\$ 1,369.06
 <p>Deep Burial Application Elbow</p> <p>22" Tall Product Elbow Cast Aluminum Four bolt flange pattern 4" Male Cam/Grove with Sight Glass</p>	26-880-493-02	\$ 1,557.02
 <p>API Bottom Loading Adaptor (Short Stroke)</p> <p>Quick Closing 3 position handle Compatible with all API dry disconnect couplers Constructed with a standard TTMA 4" tank truck flange and mounting lugs for EBW Air Interlock Valve.</p>	26-880-500-02	\$ 1,012.19
 <p>API Bottom Loading Adaptor</p> <p>Same Specifications as 26-880-500-02 except this unit has a 3" sight glass</p>	26-880-500-04	\$ 1,120.14



TRANSPORT EQUIPMENT



Female Gravity Drop Adaptor	MODEL #	PREFERRED
 <p>22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze ams and stainless pins Meets API RP 1004 specifications 4" Female</p>	26-880-330-01	\$ 347.98
 <p>22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze ams and stainless pins Meets API RP 1004 specifications 4" Cam and Groove</p>	26-880-411-01	\$ 251.46
 <p>Three-way Air Valve 1/4" NPT connections Can be used normally open or normally closed Adjustable stem Comes with standardized TTM & API mounting holes</p>	26-880-150-01 Other sizes and models available	\$ 195.58
 <p>Corrosive resistant API Dust Cap shields valuable bottom loading valves from destructive outside elements. Couples on all EBW valves and API bottom loading adaptors using a Bu- na-N gasket. Includes heavy-duty attachment chain</p>	API Dust Cap 26-880-403-01	\$ 218.44
	API Gasket 26-880-206-01	\$ 25.40
 <p>Cast Aluminum Frame & Cap Spring Steel, chrome plated hardware Nylon bushing</p>	6" 26-784-300-03	\$ 124.46



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

H 8

NOTES

PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST POPULAR ITEMS ORDERED AND THEIR PART NUMBERS