

FILL-RITE FR700 SERIES 115 VOLT FUEL TRANSFER PUMPS



Heavy duty UL listed explosion proof 1/3 HP motor. Heavy duty switch, thermal overload protection and junction box. Carbon vanes and ceramic/carbon seals. Integral check valve with pressure relief on outlet side. Easy removable strainer, automatic bypass valve, 2" threaded bung for tank openings. 2 Year warranty.

MODEL #	MAP*
01-FR700V Up to 18 GPM 115 V. Pump 3/4" X 12' Hose Manual Nozzle	\$ 769.99
01-FR700VA Up to 13 GPM 115 V. Pump 3/4" X 12' Hose Automatic Nozzle	
01-FR700VN Up to 20 GPM Same as FR700V Pump Only	\$ 734.99
01-FR710VN Up to 19 GPM Same as FR700VN Pump Only, 1" outlet	\$ 759.99
01-FR710VB Up to 19 GPM 115V Pump, 1" Fitted, 1" x 18' hose, 1" Hi- Flow Automatic Nozzle	\$ 999.99
01-FR701V Up to 15 GPM 115 V. Pump With 807C Meter, 3/4" X 12' Hose Manual Nozzle	\$ 1,019.99
01-FR701VA Up to 10.5 GPM Same as FR701V Automatic Nozzle	
01-FR711VA Up to 18 GPM Same as FR701V with 901 Meter, 1" x 18' hose, 1" Hi-Flow Automatic Nozzle	\$ 1,289.99



Heavy duty UL listed explosion proof 1/3 HP motor. 807C Meter. Heavy duty switch, thermal overload protection and junction box. Carbon vanes and ceramic/carbon seals. Integral check valve with pressure relief on outlet side. Easy removable strainer, automatic bypass valve, 2" threaded bung for tank openings. 2 Year warranty.


* MANUFACTURER'S MINIMUM ADVERTISED PRICE, PLEASE CALL 1-877-737-4690 FOR QUANTITY PREFERRED PRICING

FILL-RITE FR300 SERIES 115/230 VOLT FUEL TRANSFER PUMPS


	MODEL #	MAP*
 <p>115/230 Volt High flow AC pump that has a flow rate of Up to 35 GPM. 3/4 HP explosion proof UL listed dual voltage motor. Pump has heavy duty switch, thermal overload protection, carbon vanes, 2" threaded bung. 2 Year Warranty</p>	<p>01-FR310VB</p> <p>Same as FR310VN with 1" x 18' hose & 1" Ultra High Flow Automatic Nozzle</p>	<p>\$ 1,619.99</p>
	<p>01-FR310VN</p> <p>Pump Only</p>	<p>\$ 1,379.99</p>
 <p>115/230 Volt High flow AC pump that has a flow rate of Up to 30 GPM. 3/4 HP explosion proof UL listed dual voltage motor. Pump has heavy duty switch, thermal overload protection, carbon vanes, 2" threaded bung, 901 meter. 2 Year Warranty</p>	<p>01-FR311VB</p> <p>Same as FR311VN with 1" x 18' hose & 1" Ultra High Flow Automatic Nozzle</p>	<p>\$ 1,939.99</p>
	<p>01-FR311VN</p> <p>Pump + Meter Only</p>	<p>\$ 1,689.99</p>
 <p>115/230 Volt High flow AC pump that has a flow rate of Up to 35 GPM. 3/4 HP explosion proof UL listed dual voltage motor. Pump has heavy duty switch, thermal overload protection, carbon vanes, 2" threaded bung, 900D digital meter. 2 Year Warranty</p>	<p>01-FR319VB</p> <p>Includes 900D digital meter, 1" Automatic Ultra High Flow Nozzle, 1" x 18' hose</p>	<p>\$ 2,069.99</p>

* MANUFACTURER'S MINIMUM ADVERTISED PRICE, PLEASE CALL 1-877-737-4690 FOR QUANTITY PREFERRED PRICING



FILL-RITE 115 VOLT STANDARD DUTY FUEL TRANSFER PUMPS

 <p>This Standard duty pump has a 1/6 HP Explosion proof motor and pumps UP to 15 GPM. Pumps has a 2" threaded base for tank openings, carbon vanes, check valve, pressure relief valve, and strainer. 2 Year warranty.</p>	MODEL #	MAP*
	<p>01-FR610H 115 Volt Pump with 3/4" x 12' Hose, & Manual Nozzle</p>	<p>\$ 569.99</p>
	<p>01-FR610HA 115 Volt Pump with 3/4" x 12' Hose, & Automatic Nozzle</p>	<p>\$ 649.99</p>
	<p>01-FR604H Pump Only</p>	<p>\$ 474.99</p>

12 VOLT HIGH SPEED FUEL TRANSFER PUMPS

<p>NX3200 Series 12 to 24 Volt Continuous Duty Fuel Transfer Pump</p>  <ul style="list-style-type: none"> * Continuous Duty * 12 to 24 Volt DC Pump * Intelligent Tones™ * Auto Power Down * Lower Amp Draw * Removable Power Cord <p>* Pumps Diesel, gasoline, biodiesel up to B20, E15, kerosene, mineral spirits</p> <p>* 2 Year warranty</p>	<p>01-NX25-DDCNB-AA Up to 25 GPM 1" x 18' hose Ultra High Flow Automatic Nozzle</p>	<p>\$ 1,299.99</p>
	<p>01-NX25-DDCNB-PX Pump Only</p>	<p>\$ 1,239.99</p>

FILL-RITE DIAPHRAGM PUMPS

<p>Fill-Rite 110 Volt Diaphragm Pump</p>  <p>This revolutionary pump transfers heavy fluids such as lube and gear oils at up to 13 GPM. UL/cUL listed 1/4 HP (115 VAC-60Hz) motor with permanent magnet and ball bearings. Heavy-duty switch, thermal overload protection and junction box. Transfers fluid viscosities to 1000+ CPS (SAE 80-90W oil at 31°F). Can also transfer particulate fluids. Self-priming. Choice of outlet ports for installation flexibility. Compatible with Ethylene Glycol, Diesel Fuel, Grease, Hydraulic Oil, Kerosene, Motor Oil and Water.</p>	<p>01-FR450B</p>	<p>\$ 1,129.99</p>
<p>Fill-Rite 12 Volt Diaphragm Pump</p>  <p>Same as the FR450 except the motor is a 1/4 HP 12 volt. Both models include 1" x 12' hose, manual nozzle, suction pipe and 2" bung adaptor.</p>	<p>01-FR410BEXP</p>	<p>\$ 1,084.99</p>

* MANUFACTURER'S MINIMUM ADVERTISED PRICE, PLEASE CALL 1-877-737-4690 FOR QUANTITY PREFERRED PRICING

FILL-RITE 12 VOLT FUEL TRANSFER PUMPS



This standard duty 1/4 HP explosion proof UL listed pump can pump Up to 15 GPM. Has a 2" threaded base for tank mounting, cast bronze rotor with bronze rotary vanes, and built in strainer. 2 Year warranty.

MODEL #

MAP*

01-FR1210H

12 Volt Pump with 3/4" x 12' Hose & Manual Nozzle

\$ 499.99

01-FR1210HA

12 Volt Pump with 3/4" x 12' Hose & Automatic Nozzle

\$ 559.99

01-FR1204H

Pump Only

\$ 369.99

01-FR1211H

Same as the FR1210G with 3/4" x 12' Hose, Manual Nozzle, 807C Meter

\$ 719.99



This contractor grade pump with explosion proof UL approved motor pumps Up to 20 GPM. Built using heavy duty cast iron this pump has a 2" threaded base for tank mounting, cast bronze rotor with bronze rotary vanes, and built in strainer. 2 Year warranty.

01-FR4210H

12 Volt Pump with 1" x 12' Hose, & Manual Nozzle

\$ 589.99

01-FR4210HB

12 Volt Pump with 1" x 12' Hose, & Automatic Nozzle

\$ 804.99

01-FR4204H

Pump Only

\$ 474.99

01-FR4211H

Same as FR4210G with 1" x 12' Hose, & Manual Nozzle, & 901 Meter

\$ 949.99

*** MANUFACTURER'S MINIMUM ADVERTISED PRICE, PLEASE CALL 1-877-737-4690 FOR QUANTITY PREFERRED PRICING**

FILL-RITE HAND PUMPS

		MODEL #	MAP*
 <p>FR112</p>	<p>Rotary Hand Pump</p> <p>Delivers approximately 10 gallons per 100 revolutions. FR112 Rotary Hand Pump includes 8' hose, suction stub, bung adaptor, and nozzle tube. Good for gasoline, diesel fuel, light oils and most non-corrosive petroleum based fluids. 2 year warranty.</p>	01-FR112	\$ 249.99
	<p>FR110 is pump only</p>	01-FR110 Pump Only	\$ 239.99
	<p>Optional counter kit for FR112</p>	01A-100ACC111	\$ 90.09
 <p>FR152</p>	<p>Push/Pull Hand Pump</p> <p>Piston style push-pull hand pump. Delivers fuel on both forward and backward strokes. Includes 8' hose, suction stub and nozzle tube. Good for gasoline, diesel fuel, hydraulic oil and non-corrosive petroleum based fluids. 2 year warranty.</p>	01-FR152	\$ 249.99
 <p>SD62</p>	<p>Standard Duty Rotary Hand Pump</p> <p>Delivers approximately 6 gallons per 100 revolutions. Cast iron pump body construction. Includes 3 piece steel suction pipe to fit 15 to 55 gallon drums. Good for light viscosity oils, gasoline, diesel fuels and non-corrosive fluids. 1 year warranty.</p>	01-SD62	\$ 89.99
 <p>FR20V</p>	<p>Polypropylene Hand Pump</p> <p>Transfer tough industrial fluids easily, safely and accurately. Perfect for barrels, storage tanks and drums. The FR20V hand lever piston pumps transfer approximately 11 fl. oz. (325 ml) per stroke.</p>	01-FR20V	\$ 124.99






*** MANUFACTURER'S MINIMUM ADVERTISED PRICE, PLEASE CALL 1-877-737-4690 FOR QUANTITY PREFERRED PRICING**

FILL-RITE FUEL METERS

		MODEL #	MAP*
 <p>807C</p>	<p>800 Series Standard Meter</p> <p>The 807C is accurate to within +/- 1% at 5 Up to 20 GPM. The easy reset register indicates product use up to 99.9 gallons. A master totalizer shows cumulative totals to 99,999.9 gallons. Compatible with diesel fuel, gasoline, kerosene, mineral spirits, stoddard solvent and heptane. 2 year warranty.</p>	<p>01-807C</p> <p>3/4" Outlet</p>	<p>\$ 249.99</p>
		<p>01-807C1</p> <p>1" Outlet</p>	<p>\$ 244.99</p>
 <p>807CMK</p>	<p>800 Series Meter Kit for Pumps</p> <p>Same meter as the 807C. Painted black and comes with all fittings. For AC and DC pumps. Compatible with diesel fuel, gasoline, kerosene, mineral spirits, stoddard solvent and heptane. 2 year warranty.</p>	<p>01-807CMK</p>	<p>\$ 264.99</p>
 <p>901C</p>	<p>901 Series Hi Speed Meter</p> <p>The Series 901 meter operates at 6 to 40 GPM with accuracy of +/- 2%. The easy reset register indicates product use up to 999.9 gallons. The master totalizer registers up to 999,999.9 gallons. 2 year warranty.</p>	<p>01-901C</p> <p>1" Outlet</p>	<p>\$ 349.99</p>
		<p>01-901C1.5</p> <p>1 1/2" Outlet</p>	<p>\$ 344.99</p>
 <p>900CD</p>	<p>Digital Meter</p> <p>The 900D series digital meter has an easy to read LCD counter display. 6-40 GPM, +/- 1.25% accuracy. Works with diesel, kerosene, standard solvents and heptanes. 2 year warranty.</p>	<p>01-900CD</p> <p>1" Outlet</p>	<p>\$ 464.99</p>
		<p>01-900CD1.5</p> <p>1 1/2" Outlet</p>	<p>\$ 464.99</p>
 <p>900CDP</p>	<p>Digital Meter with Pulser</p> <p>The 900DP is the ultimate in convenience. This meter includes all of the 900DB features plus it comes with a pulser and intrinsically safe barrier. It also has a backlit display for easier viewing in poor lighting, and AC power with battery backup. The 900DP meter is approved for gasoline, diesel, kerosene, mineral spirits, stoddard solvents, and heptanes.</p>	<p>01-900CDP</p> <p>1" Outlet</p>	<p>\$ 839.99</p>
		<p>01-900CDP1.5</p> <p>1 1/2" Outlet</p>	<p>\$ 839.99</p>
	<p>NEW Fill-Rite Fuel Inline Digital Meter</p> <p>This NEW Aluminum engineered fuel meter has a flow rate of 2-35 GPM, and is accurate to within 1%. It measures in Ounces, Pints, Quarts, Liters, or Gallons. It has a rubber boot to help protect the meter, and has 2 field replaceable AA batteries.</p>	<p>01-TT10AN</p>	<p>\$ 224.99</p>

* MANUFACTURER'S MINIMUM ADVERTISED PRICE, PLEASE CALL 1-877-737-4690 FOR QUANTITY PREFERRED PRICING

FARM HOSES AND FARM NOZZLES

Fill-Rite Farm Hose with Static Wire and Spring Guards		MODEL #	MAP
	3/4" x 12' Hose	01A-FRH07512	\$ 39.99
	3/4" x 14' Hose	01A-FRH07514	\$ 54.99
	3/4" x 20' Hose	01A-FRH07520	\$ 64.99
	1" x 12' Hose	01A-FRH10012	\$ 64.99
	1" x 14' Hose	01A-FRH10014	\$ 64.99
	1" x 20' Hose	01A-FRH10020	\$ 79.99
Husky Automatic Farm Nozzles		MODEL #	PREFERRED
 <p>1-GS</p> <p>Automatic shut-off nozzle for farm, 12V skid tank pumps, or larger pumps without air eliminators. Not to be used with gravity tanks. Not legal for retail dispensing. Husky 1-GS nozzle shuts off when the tank is full. Inlet size is 1". (Part #11-0385 3/4" reducer bushing optional).</p>	11-045704N-04 Unleaded	\$ 111.63	
	11-045703N-03 Leaded, Diesel	\$ 111.63	
	11-045710N-03 High Flow Diesel	\$ 111.63	
	11-0385 1" x 3/4" Alum Bushing	\$ 6.05	
	Fill-Rite 3/4" Automatic Nozzles		MODEL #
3/4" Automatic Nozzles with Red Cover and Nozzle Hook, Unleaded spout		01A-SDN075RAN Unleaded	\$ 79.99
3/4" Automatic Nozzles with Green Cover and Nozzle Hook, Leaded (Diesel) spout.		01A-SDN075GAN Leaded, Diesel	\$ 79.99
Fill-Rite 1" Automatic Nozzles		MODEL #	MAP
 <p>1" Inlet - Automatic Nozzles with Green Cover, Diesel Spout and Hook</p>	01A-SDN100GAN Diesel Spout	\$ 114.99	
	01A-N100DAU13 Ultra High Flow	\$ 219.99	
Fill-Rite Manual Farm Nozzles		MODEL #	MAP
 <p>3/4" and 1" sizes manual nozzle with hook</p>	01A-FRHMN075S 3/4" Farm Nozzle	\$ 49.99	
	01A-FRHMN100S 1" Farm Nozzle	\$ 49.99	
Morrison Manual Farm Nozzles		MODEL #	PREFERRED
 <p>Model 200 Farm Nozzle with Hook</p> <p>Available in 3/4" or 1" threaded inlet</p> <p>Available with unleaded or diesel spout</p>	09-200-0600AN 3/4" Unleaded	\$ 76.02	
	09-200-0700AN 1" Unleaded	\$ 76.02	
	09-200-0800AN 3/4" Diesel	\$ 76.02	
	09-200-0900AN 1" Diesel	\$ 76.02	



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

A 8

NOTES

PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST POPULAR ITEMS ORDERED AND THEIR PART NUMBERS