


TANK TRUCK EQUIPMENT

 EBW Dashport Nozzle For Bulk Fuel Oil Delivery Dashport ensures easy opening and precise topping off. Extra heavy lugs at wear points means longer useful nozzle life. Available in 1 1/4" or 1 1/2" Nozzles DO NOT Include Spout 	MODEL #	PREFERRED
	1 1/4" 26-410-300-03 without spout	\$ 372.11
	1 1/2" 26-410-401-03 without spout	\$ 393.70
Brass Fuel Oil Nozzle Spouts  Fuel delivery nozzle tubes fit EBW 410 & 490 nozzles and are constructed of .065 brass wall tubes and include cast brass for secure attachment to nozzles.	1 1/4" NPT x 1 1/8" 26-410-122-01	\$ 115.57
	1 1/4" NPT x 1 3/8" 26-410-133-01	\$ 109.22
	1 1/2" NPT x 1 5/8" 26-410-129-01	\$ 125.73
	1 1/2" NPT x 1 3/8" 26-410-116-01	\$ 115.57
 Model 465 Hose Swivel Designed for ease of delivery, and features a free swivel action up to 125 psi with fluorocarbon O-ring seals that enable it to turn smoothly. Available in 1 1/4" or 1 1/2" with or without check valve. 	1 1/4 x 1 1/4 26-465-101-01	\$ 198.12
	1 1/4 x 1 1/4 26-465-101-02 w/ check	\$ 228.60
	1 1/2 x 1 1/2 26-465-102-01	\$ 203.20
	1 1/2 x 1 1/2 26-465-102-02 w/ check	\$ 242.57
 NOZZLE CONES Available in 1 1/4" and 1 1/2"	1 1/4" 14-R54	\$ 46.11
	1 1/2" 14-R64	\$ 47.34

KAM STYLE DRY DISCONNECTS



Elbow Couplers with Swivel

Dry disconnect couplings are used on multi compartment petroleum, solvent and chemical product delivery trucks with an on board pumping unit. Helps reduce the hazard potential of spilled liquid during the connection/disconnection process. Available in 2" or 3" with Buna or Viton Seals.

MODEL

PREFERRED

2" OPW w/ Buna Seals
27-1711-ES-0200

\$ 860.45

2" OPW w/ Viton Seals
27-1712-ES-0200

\$ 989.04

2" Dixon w/ Buna Seals
14-DBS61-200

\$ 874.62

2" Dixon w/ Viton Seals
14-DBS62-200

\$ 1,008.77

Straight Couplers



Used at liquid transfer points where product loss could occur, they provide a reliable solution to prevent spillage during connection or disconnection. They are well suited for handling petroleum products, solvents, chemicals, vegetable oils, detergents and many acids and caustics. Available in 2" or 3" with Buna or Viton Seals.

2" OPW w/ Buna Seals
27-1711-DL-AL20

\$ 706.09

2" OPW w/ Viton Seals
27-1712-DL-AL20

\$ 783.99

3" OPW w/ Buna Seals
27-1711-DL-AL30

\$ 1,382.95

3" OPW w/ Viton Seals
27-1712-DL-AL30

\$ 1,543.64

2" Dixon w/ Buna Seals
14-DBC61-200

\$ 721.37

2" Dixon w/ Viton Seals
14-DBC62-200

\$ 808.12


3" Dixon w/ Buna Seals
14-DBC61-300

\$ 1,502.52

3" Dixon w/ Viton Seals
14-DBC62-300

\$ 1,677.08

Adaptors



Helps to prevent liquid spillage during the connection/disconnection process. The adaptor contains a spring loaded poppet to assure fast closing and tight seal. Available in 2" or 3" with Buna or Viton Seals.

2" OPW w/ Buna Seals
27-1611-AN-AL20

\$ 233.73

2" OPW w/ Viton Seals
27-1612-AN-AL20

\$ 233.73

3" OPW w/ Buna Seals
27-1611-AN-AL30

\$ 389.57

3" OPW w/ Viton Seals
27-1612-AN-AL30

\$ 409.04

2" Dixon w/ Buna Seals
14-DBA 11-200

\$ 214.80

2" Dixon w/ Viton Seals
14-DBA 12-200

\$ 229.11

3" Dixon w/ Buna Seals
14-DBA 11-300


\$ 411.79

3" Dixon w/ Viton Seals
14-DBA 12-300

\$ 424.99

BAYONET STYLE DRY DISCONNECTS

Dry Disconnects with 90° Swivel Coupler



Bayonet style aluminum dry disconnect with 90° swivel coupler X Female NPT. Available in 2" or 3" with Buna or Viton seals.

MODEL

PREFERRED

2" w/ Buna Seal
14-BS61-200

\$ 787.33

2" w/ Viton Seal
14-BS62-200

\$ 847.40

3" w/ Buna Seal
14-BS61-300

\$ 1,345.51

3" w/ Viton Seal
14-BS62-300

\$ 1,452.83

Dry Disconnect Straight Coupler



Bayonet Style Aluminum Dry Disconnect Straight Coupler. Female X NPT, available in 2" or 3" with Buna or Viton seals.

2" w/ Buna Seal
14-BC61-200

\$ 625.52

2" w/ Viton Seal
14-BC62-200

\$ 681.84

2" w/ Buna Seal w/
Swivel
14-BSS61-200

\$ 787.33

2" w/ Viton Seal w/
Swivel
14-BSS62-200

\$ 849.15

3" w/ Buna Seal w/
Swivel
14-BSS61-300

\$ 1,270.99

3" w/ Viton Seal w/
Swivel
14-BSS62-300

\$ 1,380.12

Bayonet Style Adaptors



Bayonet style adaptor by Female NPT. Designed for use in the fuel and lube oil service industry. Used with the EMCO Wheaton dry break commonly found in these services.

2" w/ Buna Seal
14-BA31-200

\$ 196.39

2" w/ Viton Seal
14-BA32-200

\$ 196.39

3" w/ Buna Seal
14-BA61-300

\$ 436.38

3" w/ Viton Seal
14-BA62-300

\$ 436.38

QUICK COUPLERS

Male Adapter x Female NPT



Part A

Size	Aluminum	Price
3/4"	06-G75-A-AL	\$ 7.46
1"	06-G100-A-AL	\$ 7.67
1 1/4"	06-G125-A-AL	\$ 11.62
1 1/2"	06-G150-A-AL	\$ 8.44
2"	06-G200-A-AL	\$ 9.01
2 1/2"	06-G250-A-AL	\$ 21.56
3"	06-G300-A-AL	\$ 18.24
4"	06-G400-A-AL	\$ 28.72

Male Adapter x Hose Shank



Part E

Size	Aluminum	Price
3/4"	06-G75-E-AL	\$ 6.56
1"	06-G100-E-AL	\$ 7.60
1 1/4"	06-G125-E-AL	\$ 11.25
1 1/2"	06-G150-E-AL	\$ 9.70
2"	06-G200-E-AL	\$ 12.41
2 1/2"	06-G250-E-AL	\$ 23.77
3"	06-G300-E-AL	\$ 22.37
4"	06-G400-E-AL	\$ 36.89

Female Coupler x Male NPT



Part B

Size	Aluminum	Price
3/4"	06-G75-B-AL	\$ 15.91
1"	06-G100-B-AL	\$ 17.62
1 1/4"	06-G125-B-AL	\$ 24.03
1 1/2"	06-G150-B-AL	\$ 20.18
2"	06-G200-B-AL	\$ 21.00
2 1/2"	06-G250-B-AL	\$ 38.20
3"	06-G300-B-AL	\$ 34.76
4"	06-G400-B-AL	\$ 48.93

Male Adapter x Male NPT



Part F

Size	Aluminum	Price
3/4"	06-G75-F-AL	\$ 8.09
1"	06-G100-F-AL	\$ 8.44
1 1/4"	06-G125-F-AL	\$ 13.91
1 1/2"	06-G150-F-AL	\$ 10.15
2"	06-G200-F-AL	\$ 11.36
2 1/2"	06-G250-F-AL	\$ 26.32
3"	06-G300-F-AL	\$ 24.92
4"	06-G400-F-AL	\$ 36.42

Female Coupler x Hose Shank



Part C

Size	Aluminum	Price
3/4"	06-G75-C-AL	\$ 15.84
1"	06-G100-C-AL	\$ 16.21
1 1/4"	06-G125-C-AL	\$ 22.87
1 1/2"	06-G150-C-AL	\$ 19.44
2"	06-G200-C-AL	\$ 22.45
2 1/2"	06-G250-C-AL	\$ 37.99
3"	06-G300-C-AL	\$ 34.65
4"	06-G400-C-AL	\$ 53.88

Dust Plug



Part DP

Size	Aluminum	Price
3/4"	06-G75-DP-AL	\$ 7.30
1"	06-G100-DP-AL	\$ 7.04
1 1/4"	06-G125-DP-AL	\$ 8.38
1 1/2"	06-G150-DP-AL	\$ 8.17
2"	06-G200-DP-AL	\$ 9.70
2 1/2"	06-G250-DP-AL	\$ 14.39
3"	06-G300-DP-AL	\$ 16.31
4"	06-G400-DP-AL	\$ 25.80

Female Coupler x Female NPT



Part D

Size	Aluminum	Price
3/4"	06-G75-D-AL	\$ 17.87
1"	06-G100-D-AL	\$ 17.20
1 1/4"	06-G125-D-AL	\$ 25.01
1 1/2"	06-G150-D-AL	\$ 19.02
2"	06-G200-D-AL	\$ 22.24
2 1/2"	06-G-250-D-AL	\$ 39.74
3"	06-G300-D-AL	\$ 36.94
4"	06-G400-D-AL	\$ 49.93

Dust Cap



Part DC

Size	Aluminum	Price
3/4"	06-G75-DC-AL	\$ 15.68
1"	06-G100-DC-AL	\$ 15.37
1 1/4"	06-G125-DC-AL	\$ 20.69
1 1/2"	06-G150-DC-AL	\$ 18.81
2"	06-G200-DC-AL	\$ 18.24
2 1/2"	06-G250-DC-AL	\$ 30.49
3"	06-G300-DC-AL	\$ 33.92
4"	06-G400-DC-AL	\$ 42.93

Replacement Gaskets

Size	Regular	Extra Thick
1"	\$ 1.28	\$ 1.65
1 1/4"	\$ 1.31	\$ 2.15
1 1/2"	\$ 1.38	\$ 2.19
2"	\$ 1.37	\$ 2.22
2 1/2"	\$ 1.49	\$ 2.84
3"	\$ 1.59	\$ 2.50
4"	\$ 2.07	\$ 3.19

Replacement Handles




Size	Part #	Price
1 1/4" - 2 1/2"	06-G152HRP	\$ 7.42
3" - 4"	06-G34HRP	\$ 11.06

SPOOL ADAPTERS, SPOOL COUPLERS, REDUCER FITTINGS

SPOOL COUPLER MALE COUPLER X MALE COUPLER 	MODEL #	PREFERRED
	06-150-AA-AL 1 1/2" x 1 1/2"	\$ 40.99
	06-1520-AA-AL 1 1/2" x 2"	\$ 43.82
	06-200-AA-AL 2" x 2"	\$ 39.74
	06-2030-AA-AL 2" x 3"	\$ 62.11
	06-300-AA-AL 3" x 3"	\$ 62.84
	06-3040-AA-AL 3" x 4"	\$ 90.97
	06-400-AA-AL 4" x 4"	\$ 83.16
SPOOL COUPLER FEMALE COUPLER X FEMALE COUPLER 	06-200-DD-AL 2" x 2"	\$ 70.89
	06-2030-DD-AL 2" x 3"	\$ 106.38
	06-300-DD-AL 3" x 3"	\$ 92.79
	06-3040-DD-AL 3" x 4"	\$ 135.47
	06-400-DD-AL 4" x 4"	\$ 123.38
REDUCER COUPLERS TO ADAPTERS 	06-3020-DA-AL 3" Coupler x 2" Adapter	\$ 73.50
	06-4020-DA-AL 4" Coupler x 2" Adapter	\$ 109.62
	06-4030-DA-AL 4" Coupler x 3" Adapter	\$ 111.69

ALL PARTS A, B, C, D, E, & F ARE AVAILABLE IN REDUCER SIZES. CALL FOR PRICING

 TRANSPORT EQUIPMENT 		
	MODEL #	PREFERRED
 Dual Vapor Recovery Elbow 3" Vapor Recovery Elbow Cast Aluminum Compact, low profile design Four bolt flange pattern	26-880-465-01	\$ 1,003.30
 Product Drop Elbow - Dual Point Cast Aluminum Four bolt flange pattern 4" Male Cam/Grove with Sight Glass	26-880-455-01	\$ 1,369.06
 Deep Burial Application Elbow 22" Tall Product Elbow Cast Aluminum Four bolt flange pattern 4" Male Cam/Groove with Sight Glass	26-880-493-02	\$ 1,557.02
 API Bottom Loading Adaptor (Short Stroke) Quick Closing 3 position handle Compatible with all API dry disconnet couplers Constructed with a standard TTMA 4" tank truck flange and mounting lugs for EBW Air Interlock Valve.	26-880-500-02	\$ 1,012.19
 API Bottom Loading Adaptor Same Specifications as 26-880-500-02 except this unit has a 3" sight glass	26-880-500-04	\$ 1,120.14

 TRANSPORT EQUIPMENT 		
 Female Gravity Drop Adaptor 22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze arms and stainless pins Meets API RP 1004 specifications 4" Female	MODEL #	PREFERRED
	26-880-330-01	\$ 347.98
 Male Gravity Drop Adaptor 22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze arms and stainless pins Meets API RP 1004 specifications 4" Cam and Groove		
	26-880-411-01	\$ 251.46
 Air Interlock Valve Three-way Air Valve 1/4" NPT connections Can be used normally open or normally closed Adjustable stem Comes with standardized TTM & API mounting holes		
	26-880-150-01 Other sizes and models available	\$ 195.58
 API Dust Cap Corrosive resistant API Dust Cap shields valuable bottom loading valves from destructive outside elements. Couples on all EBW valves and API bottom loading adaptors using a Buna-N gasket. Includes heavy-duty attachment chain		
	API Dust Cap 26-880-403-01	\$ 218.44
 Hose Tube Doors Cast Aluminum Frame & Cap Spring Steel, chrome plated hardware Nylon bushing		
	6" 26-784-300-03	\$ 124.46



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

H 8

NOTES

**PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST
POPULAR ITEMS ORDERED AND THEIR PART NUMBERS**