



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

B 1

V-20 115 VOLT FUEL TRANSFER PUMPS



GPRO V20 115

The GPRO V20-115 series is the next-generation modular vane pump for stationary applications fueling large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted.

5 Year Limited Warranty.

MODEL #

PREFERRED

60-171050-01

V20
115 V.
Pump Only
With Meter

\$ 1,143.10



GPRO V20 115V

The GPRO V20-115 series is the next-generation modular vane pump for stationary applications fueling large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted.

5 Year Limited Warranty.

60-171000-01

V20
115V. Pump Only

\$ 795.20

60-171000-03

V20
115V. Pump, 1" x 18'
Hose, & Automatic Nozzle

\$ 1,043.70



GPRO V20-115 3/4"

The GPRO V20-115 3/4-inch series is the next-generation modular vane pump for stationary applications fueling medium and large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted.

5 Year Limited Warranty.

60-171001-01

V20
115 V.
3/4" Pump Only

\$ 746.90

60-171001-03

V20
115 V.
3/4" Pump w/ Automatic
Nozzle

\$ 933.80

GPRO 35 115/230 V. FUEL TRANSFER PUMPS

	MODEL #	PREFERRED
 <p>PRO 35-115</p>	<p>60-504000-01</p> <p>PRO 35 115/230 V. Pump Only</p>	<p>\$ 1,269.10</p>
<p>GPI Professional series 35 GPM 115/230 V. pump, with extended duty cycle, field replaceable switch and vanes, thermally protected motor, and weight centering inlet base.</p>	<p>60-504000-03</p> <p>PRO 35 115/230 V. Pump with 1" x 18' Hose, & Automatic Nozzle</p>	<p>\$ 1,428.00</p>
 <p>PRO 35-115/230 COMBO</p>	<p>60-504000-70</p> <p>PRO 35 115/230 V. Pump with Meter Only QM240 G8N</p>	<p>\$ 1,547.00</p>
<p>GPI Professional series 35 GPM 115/230 V. pump, Factory assembled with QM240 meter, field replaceable switch and vanes, thermally protected motor, vacuum breaker ready, weight centering inlet base and tank adapter.</p>	<p>60-504000-71</p> <p>PRO 35 115/230 V. Pump with Meter QM240 G8N, 1" x 18' Hose, & Automatic Nozzle</p>	<p>\$ 1,705.90</p>

GPRO 12 VOLT FUEL TRANSFER PUMPS



V25 12 VOLT

GPI Professional series 25 GPM 12 Volt pump, with extended duty cycle, field replaceable switch and vanes, 40 amp circuit breaker motor protection, pressure relief, easy strainer access, and weight centering base. 5 Year Limited Warranty.

MODEL

60-170000-01
V25

 12 Volt
Pump Only

\$ 844.90
60-170000-09
V25

 12 Volt Pump With
Power Cord

\$ 924.70
60-170000-03
V25

 12 Volt Pump With
1" x 18' Hose, &
Automatic Nozzle

\$ 1,043.70

FloMec Meter



The FLOMEC QM240 meter is extremely accurate flexible, and reliable. UP to 40 GPM, 4X Higher accuracy: 1/2% over all. No leaks, or seals. Versatile rotatable mount. No calibration needed.

60-139000-01
QM240
1" Inlet/Outlet
\$ 328.02

M30 Mechanical Fuel Meter



M30 1" NPT mechanical fuel meter. It is aluminum meter that is good for use with diesel, gasoline, E15, and Kerosene. Meters from 5-30 GPM. 4 Year Warranty.

60-165100-01
M30
\$ 255.60

Electronic Digital Meter



Light weight aluminum turbine meter. Flow range of 3 to 30 GPM (10 to 100 LPM). Powered by two AAA batteries that are easy to replace. Factory calibrated for fuel. Typical accuracy of +/- 2.5 (accuracy can vary to +/- 5%.

The 01A meter is easy to handle and easy to use. You can mount this meter right at the nozzle for a quick read of the large 4-digit LCD display. It is compact and light at just 14 ounces.

60-113255-1
01A31GM
\$ 163.44



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

B 4

GPI G20 12 VOLT FUEL TRANSFER PUMPS



G20 12 VOLT

The G20 Fuel Transfer Pump by GPI is the first of its kind to deliver True 20 GPM when combined with a 14' hose and Automatic shutoff nozzle. 4 bolt flanged outlet allows for modular mounting of filter or meter option.

MODEL #	PREFERRED
60-162000-01 G20 12 Volt Pump Only	\$ 468.60
60-162000-03 G20 12 Volt Pump With 1" x 14' Hose, & Automatic Nozzle	\$ 656.04



M30 Mechanical Fuel Meter

M30 1" NPT mechanical fuel meter. It is aluminum meter that is good for use with diesel, gasoline, E15, and Kerosene. Meters from 5-30 GPM. 4 Year Warranty.

60-165100-01	\$ 255.60
---------------------	------------------

Filter Kit Package



60A-129500-01	\$ 102.40
----------------------	------------------

Quick-Fit Filter Adapter Kit:
Includes a 10 Micron Particulate filter and a Quick Fit Modular Filter Adapter



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

B 5

12 VOLT ECONOMY FUEL TRANSFER PUMPS

MODEL #	PREFERRED
60-110000-100 M-150S-AU Up to 15 GPM 3/4" x 12' Hose, Automatic Nozzle	\$ 468.60
60-110000-99 M-150S-MU Up to 15 GPM 3/4" x 12' Hose, Manual Nozzle	\$ 430.98
60-110000-103 M-150S-MU-PO Up to 15 GPM Pump Only	\$ 346.50
60-110300-7 M-180S-PO Pump Only Up to 18 GPM	\$ 421.74
60-110300-1 M-180S-ML Up to 18 GPM 1" x 12' hose, Manual Nozzle	\$ 496.98
60-110300-2 M-180S-AU Up to 18 GPM 1" x 12' hose, Automatic Nozzle	\$ 533.94
60-137100-01 Up to 8 GPM 5/8" x 10' hose, Manual nozzle	\$ 309.54
60-147000-01 G8P-012-MU Up to 8 GPM 5/8" x 10' hose, Manual nozzle	\$ 374.88

24 VOLT FUEL TRANSFER PUMPS

GPRO 24 Volt Fuel Transfer Pump	MODEL #	PREFERRED
	60-170001-01	
	V25-024PX	\$ 894.60
PUMP ONLY Up to 25 GPM	60-170001-03	
V25-024AD Up to 25 GPM 1" x 18' hose, Automatic Nozzle	\$ 1,093.40	
24 Volt Gear Pump	60-110000-70	
	M-240-S-MU	\$ 468.60
The M-240S is a 24 volt pump with proven dependability and efficiency. UL listed motor and CSA certified. Overload protected motor for long life.	Up to 15 GPM 3/4" x 12' hose, Manual Nozzle	

GPI 115 VOLT STANDARD DUTY FUEL TRANSFER PUMPS

M-115 Series 115 V. Gear Pump 12 GPM	60-110000-87	
	M-1115S-PO	\$ 412.50
115 Volt Pump Only	60-110000-81	
M-1115S-MU 115 Volt Pump with 3/4" x 12' Hose, & Manual Nozzle	\$ 496.98	
M-1115S-AU 115 Volt Pump with 3/4" x 12' Hose, & Automatic Nozzle	\$ 533.94	

Standard pump comes with 3/4" x 12' hose and manual nozzle option. Excellent for gasoline (ethanol blends up to E15), diesel (biodiesel blends to B20), and kerosene.



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

B 7

GPI HAND PUMPS

Premium Dual-Flow Hand Pump	MODEL #	PREFERRED
 <p>The Dual-Flow hand pump is a premium hand pump provides high volume and low volume settings. Pumps fluid on both the push and pull strokes for fast delivery.</p> <p>Delivers up to 50 GPM per 100 strokes. Lightweight corrosion-resistant aluminum construction. Comes with 3/4" x 8' hose. UL listed model available. Built in anti-siphon valve. 2 year warranty.</p>	60-114000-10 HP-100-UL	\$ 241.40
 <p>This GPI lever action diaphragm pump with lockable handle can be used for dirty contaminated fluids. Delivers up to 20 gallons per 100 strokes.</p> <p>Includes a 3/4" x 8' hose, plastic nozzle with built-in nozzle holder, 2-piece PVC suction pipe. Lightweight aluminum housing. Use with gasoline, diesel fuel, kerosene, medium oil (up to 30W) and hydraulic fluid. 2 Year warranty.</p>	60-138000-02 DP20-UL	\$ 318.92
 <p>This hand pump is rugged simplicity in action, with extra efficiencies in field transfer of gasoline and up to medium weight oils. Designed for use with portable tanks, drums, or barrels, this self-priming pump provides up to 10 gallons per 100 revolutions. This pump is perfect for construction, agriculture, and other industries where maximum productivity and maximum portability are important.</p> <p>Strainer and anti-siphon valve built in. Lightweight but extremely durable aluminum housing to resist scratches and corrosion. Includes nozzle hanger and handle-locking tab for convenience and security. Comes with 3/4" x 8' hose. UL listed. 2 Year warranty.</p>	60-123000-06 RP-10-UL	\$ 241.40

GPI HAND PUMPS

GPI Rotary Hand Pump	MODEL #	PREFERRED
 <p>This is a light-duty rotary hand pump that fits a standard 55-gallon barrel. Delivers up to 8 GPM per 100 revolutions.</p> <p>Mounts on a standard 55-gallon barrel with 2" NPT bung. Includes adjustable spout and easy spin handle. Built in strainer prevents damage from contaminants. 90 day warranty.</p>	60-129003-1 RP-5	\$ 77.52
 <p>This lever action pump works with drums up to 36 in. It is made of polypropylene and is 2" NPT mounting. For use with water, antifreeze, petroleum based products, mild detergents, lubricants and most Ag chemicals. Flow rate of up to 1 pint per stroke. 90 day warranty.</p>	60-129000-1 LP-50	\$ 77.52
 <p>Plunger action pump with convenient lever handle on a barrel. For use with lightweight petroleum products, oils, anti-freeze and kerosene. Has 2" NPT mounting and an adjustable plastic suction pipe 19 to 35 in. Flow rate of up to 1 pint per stroke. 90 day warranty.</p>	60-129010-1 BP-12	\$ 48.28

GPI FUEL METERS

Product Description	MODEL #	PREFERRED
 <p>FloMec Meter</p> <p>The FLOMEC QM240N10 meter is extremely accurate, flexible, and reliable. UP to 40 GPM, 4X Higher accuracy: 1/2% over all. No leaks, or seals. Versatile rotatable mount. No calibration needed.</p>	60-139000-01 QM240N10 1" Inlet/Outlet	\$ 328.02
<p>M30 Mechanical Fuel Meter</p> 	60-165100-03 3/4" M30	\$ 255.60
<p>M30 Mechanical fuel meter. It is an aluminum meter that is good for use with diesel, gasoline, E15, and kerosene. Meters from 5-30 GPM. 4 Year warranty.</p>	60-165100-01 1" M30	\$ 255.60
<p>Electronic Digital Meter</p>  <p>Light weight aluminum turbine meter. Flow range of 3 to 30 GPM (10 to 100 LPM). Powered by two AAA batteries that are easy to replace. Factory calibrated for fuel. Typical accuracy of +/- 2.5 (accuracy can vary to +/- 5%).</p> <p>The 01A meter is easy to handle and easy to use. You can mount this meter right at the nozzle for a quick read of the large 4-digit LCD display. It is compact and light at just 14 ounces.</p>	60-113255-1 01A31GM	\$ 163.44



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

B 10

GPI METHANOL PUMPS AND METERS

	MODEL #	PREFERRED
<p>GPI M-150S Methanol-PO</p> <p></p> <p>12 Volt DC aluminum gear pump with nickel plating for use with methanol. Delivers up to 15 GPM. Includes 18' power cord.</p>	<p>60-110700-01</p> <p>12 volt pump only</p>	<p>\$ 571.56</p>
<p>GPI M-115S Methanol-PO</p> <p>115 Volt AC gear pump with nickel plating for use with methanol. Delivers up to 12 GPM.</p>	<p>60-110700-04</p> <p>110 volt pump only</p>	<p>\$ 618.42</p>
<p>GPI 01A31GM Digital Methanol Meter</p> <p></p> <p>Meter is nickel plated for use with methanol. This aluminum meter displays in gallons and includes 1" NPT threads. Flowrate is 3 to 30 GPM. Field replacable AAA batteries.</p>	<p>60-113700-02</p>	<p>\$ 187.44</p>



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

B 11

GPI REMOTE PUMPS & DISPENSERS

115/230 Volt Remote Dispenser Pumps	MODEL #	PREFERRED
 Pro20 and Pro35 Aboveground Tank pumps for use with remote dispenser QM240-RD	60-504000-04 PRO35 115/230 Volt Pump Only Up to 35 GPM	\$ 1,436.40
 QM240-RD Remote dispenser 2-40 GPM; includes QM fuel meter, solenoid valve, and lockable nozzle holder.	60-143650-21 QM240-RD 2 to 40 GPM	\$ 2,485.00
 Mounting Shelf Kit	60A-143500-16	\$ 227.20



Leaders in Fluid Handling Solutions

CALL US AT: 616-457-8782

www.strickequipment.com

B 12

NOTES

PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST POPULAR ITEMS ORDERED AND THEIR PART NUMBERS